SCHLAGE

CO-Series Service Manual

TABLE OF CONTENTS

Introduction 2
CO-Series Electronic Locks 3
CO-100-CY Keypad Only 4
CO-100-CY Keypad Only 5
CO-100-MS Keypad Only 6
CO-100-MS Keypad Only 7
CO-100-993-R Keypad Only 8
CO-100-993-R Keypad Only 9
CO-100-993-S Keypad Only 10
CO-100-993-S Keypad Only 11
CO-100-993-M Keypad Only 12
CO-100-993-M Keypad Only 13
CO-200-CY Keypad Only 14
CO-200-CY Keypad Only 15
CO-200-MS Keypad Only 16
CO-200-MS Keypad Only 17
CO-200-MD Keypad Only 18
CO-200-MD Keypad Only 19
CO-200-993-R Keypad Only 20
CO-200-993-R Keypad Only 21
CO-200-993-S Keypad Only 22
CO-200-993-S Keypad Only 23
CO-200-993-M Keypad Only 24
CO-200-993-M Keypad Only 25
CO-200/250-CY, All Models Except Keypad Only 26
CO-200/250-CY, All Models Except Keypad Only 27
CO-200/250-MS, All Models Except Keypad Only 28
CO-200/250-MS, All Models Except Keypad Only 29
CO-200/250-MD, All Models Except Keypad Only 30
CO-200/250-MD, All Models Except Keypad Only 31
CO-200/250-993-R, All Models Except Keypad Only 32
CO-200/250-993-R, All Models Except Keypad Only 33
CO-200/250-993-S, All Models Except Keypad Only 34
CO-200/250-993-S, All Models Except Keypad Only 35
CO-200/250-993-M, All Models Except Keypad Only 36
CO-200/250-993-M, All Models Except Keypad Only 37
CO-993-DT 38
Exterior Escutcheon Assemblies with Reader Modules 39
CO-200/250 Coin Cell Battery Replacement 40
Decorative Plates 40
Door Thickness Kit 41
Mounting Screw and Spindle Details for CY, MS, and MD 42
Thin Door Shims 43
Wiring Harness Replacement 43
Strike Plates 44
Mortise Lock Armor Fronts 44
Levers 45
Spring Cages 47
Tailpieces 48
Spring Cage and Tailpieces Kits 49
Cylinders 49
Latches 50
Cover Screw Packs 50
Ordering Procedures 51
Terms and Conditions 52

INTRODUCTION

This manual contains a complete listing of available parts and assemblies for CO-Series cylindrical, mortise, and exit trim locks manufactured by Schlage Lock Company. This edition lists components of CO-Series locks manufactured after November 2010.

Exploded views of each lock function and trim assembly are provided with accompanying charts to identify parts for replacement purposes. Exploded views of trim are shown with parts for standard size doors. In addition, this manual provides lock trim, ordering procedures, and all auxiliary components of the CO-Series cylindrical, mortise, and exit trim locks.

STANDARD FEATURES

Certifications	ANSI/BHMA A156.25 Grade 1, UL 294, UL 10 C, FCC Part 15, ADA
Credential Verification Time	Less than 1 second
Visual/Audible Communications	Tri-colored LEDs and audible indicators
Max Current Requirement	Up to 250 mA
Operating Humidity	0-100% condensing
Operating Temperature-Exterior	-31° to 151°F (-35° to 66°C)
Operating Temperature-Interior	32° to 120° (0° to 49°C) (battery)
System Interface	CO-200/250: Handheld Device
Power Supply	4 AA batteries (standard off the shelf: included)
Latch Bolt	Cylindrical: ½" throw security latch, ¾" throw optional Mortise: ¾" throw with anti-friction tongue standard
Voltage Range	4 VDC to 7 VDC
Reader Options	Keypad only, Magnetic Stripe Card**, and Prox Card**
Strike	Cylindrical: ANSI curved lip strike 1¼" x 4⅞" x 1³⁄₁₆" lip to center standard, optional strikes, lip lengths, and ANSI strike box available Mortise: ANSI curved lip strike 1¼" x 4⅞" x 1³⁄₁₆" lip to center with dust box standard, optional strikes lip lengths available
Backset	Cylindrical: 2¾" standard, 2⅜", 3¾", and 5" optional Mortise: 2¾" only
Cylinder	Schlage 6-Pin Full Cylinder (PD), C123 keyway, keyed different (PD)
Door Range	1¾" standard, 1⅜" to 2¾" optional (available in ⅛" increments)
Keys	Two nickel silver cut keys per lock, 6-Pin, C123 section

** *Available with and without keypad*

CO-SERIES ELECTRONIC LOCKS

The CO-Series is a new platform of standalone electronic locks that succeeds KC2, Pro, and Cobra. It is one of the first electronic locks to be UL 294 listed, and is also compatible with many different brands and types of exit devices and cylinders. Please visit www.schlage.com/support for complete details.

The CO-Series is available in three locking Chassis options as well as three exit trim options:

- CY: Cylindrical
- MS: Mortise
- MD: Mortise Deadbolt
- 993R: Exit Trim — Rim/Concealed Vertical Rod (CVR)
- 993S: Exit Trim — Surface Vertical Rod (SVR)
- 993M: Exit Trim — Mortise

The CO-Series is available with three **locking functions**:

Classroom/Storeroom (70)*
Lockset is normally secure. Inside lever always allows free egress. Valid toggle credentials on the exterior may be used to change to a passage or secured status.

Office (50)*
Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a passage or secured status. Meets need for lockdown function for safety and security. NOTE: Valid toggle credentials on the exterior may also be used to change status.

Privacy (40)**
Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a privacy status. The interior pushbutton will disable normal electronic access from the exterior. Opening the door or pressing the interior pushbutton a second time on the inside housing deactivates the privacy status.

** Not available for Mortise Deadbolt Option for CO-200/250 Locks*
*** Not available for CO-100 Locks*

Credential Reader Type	Description
PR: Proximity PRK: Proximity with Keypad	Reads 125 kHz proximity credentials
MS: Magnetic Stripe (Swipe) MSK: Magnetic Stripe (Swipe) with Keypad	Configurable to read the complete Track 1, 2 or 3
KP: Keypad Only	12 button design
DT: Dummy Trim	Used for 993 Dummy Trim

ⓘ Note: See page 39 for readers and escutcheons

CO-100-CY KEYPAD ONLY

Exterior



Number	Description		Part Number
7❖***	Baseplate Subassembly, CY		*See pg. 39*
10	Latch Retractor		46928800
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate Gasket, Reader	46929154
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage Screws, Spring Cage Gasket, O-Ring	*See pg. 46*
26*	Strike, CY/MS/MD	Strike Screws, Strike	*See pg. 44*
30*	Latch, CY	Latch, Screws, Latch	*See pg. 50*
35⌘	Spindle		*See pg. 41*
37⌘	Baseplate Stand-Offs		*See pg. 41*

Number	Description		Part Number
39	Wiring Harness	Classroom/Storeroom	23518392
		Office/Privacy	23518384
43*	Escutcheon, Keypad Only, CY (with Screws)	CO-100	23599053

* *Must specify Finish*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
❖ *Must specify Cylinder Type and Handing*

CO-100-CY KEYPAD ONLY

Interior



Number	Description		Part Number
1*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
4*	Escutcheon, without IPB	Escutcheon, Inside	23599327
		Screws, Escutcheon	
	Escutcheon, with IPB	Escutcheon, Inside	23599335
		Screws, Escutcheon	
12	Batteries, AA		F206-488
17	Inside Mounting Plate Kit	Mounting Plate	23599244
		Screws, Mounting Plate (4)	
24*	Lever, Inside		03-030
25	Spring Cage, Inside	Spring Cage	23599210
		Screws, Spring Cage (2)	
35⌘	Spindle		*See pg. 41*

Number	Description	Part Number
38⌘	Spring	*See pg. 41*
40*	Rose, Inside	03-042-RHO
42	Hub	23599228

* *Must specify Finish*

⌘ *This item only available as part of Door Thickness Kit*

CO-100-MS KEYPAD ONLY

Exterior



Number	Description		Part Number
5❖***	Baseplate Subassembly, MS		*See pg. 39*
10	Lock Case, Narrow, 1 1/16" wide		46928818
	Lock Case, 1¼" wide		46928826
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
26*	Strike	Strike	*See pg. 44*
		Screws, Strike	
27*	Armor Front, MS/MD	Armor Front	*See pg. 44*
		Screws, Armor Front	
35⌘	Spindle		*See pg. 41*

Number	Description		Part Number
36⌘	Stand-Offs, MS/MD		*See pg. 41*
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392
		Office/Privacy	23518384
44*†	Escutcheon, Keypad Only, MS/MD/993 (Assembly and Screws)	CO-100	23599061

* *Must specify Finish*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
❖ *Must specify Cylinder Type and Handing*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599053*

CO-100-MS KEYPAD ONLY

Interior



Number	Description		Part Number
1*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
4*	Escutcheon, without IPB	Escutcheon, Inside	23599327
		Screws, Escutcheon	
	Escutcheon, with IPB	Escutcheon, Inside	23599335
		Screws, Escutcheon	
12	Batteries, AA		F206-488
17	Inside Mounting Plate Kit	Mounting Plate	23599244
		Screws, Mounting Plate (4)	
24*	Lever, Inside		03-030
25	Spring Cage, Inside	Spring Cage	23599210
		Screws, Spring Cage (2)	

Number	Description	Part Number
35⌘	Spindle	*See pg. 41*
38⌘	Spring	*See pg. 41*
40*	Rose, Inside	03-042-RHO
42	Hub	23599228

* *Must specify Finish*

⌘ *This item only available as part of Door Thickness Kit*

CO-100-993-R KEYPAD ONLY

Exterior



Number	Description		Part Number
8❖***	Baseplate Subassembly, 993		*See pg. 39*
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
31*	Mounting Plate, 993	Mounting Plate	46929220
		Screws, Mounting Plate (2)	
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Twisted Tailpiece	
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screw, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	

Number	Description		Part Number
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392
41	Tailpiece Kit, 993	Tailpiece	*46929303*
		Clip, Tailpiece	
43*†	Escutcheon, Keypad Only, MS/MD/993 (Assembly & Screws)	CO-100	23599061

* *Must specify Finish*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599053*
❖ *Must specify Cylinder Type and Handing*

CO-100-993-R KEYPAD ONLY

Interior



Number	Description		Part Number
2*	Cover	Cover	COM200C
		Screw, Cover	
6	Baseplate Assembly, 993		23599251
12	Batteries, AA		F206-488
14*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-E
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
28*	Escutcheon, 993	Escutcheon	46929279
		Screws, Escutcheon	

* *Must specify Finish*

CO-100-993-S KEYPAD ONLY

Exterior



Number	Description		Part Number
8❖***	Baseplate Subassembly, 993		*See pg. 39*
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
31*	Mounting Plate, 993	Mounting Plate	46929220
		Screws, Mounting Plate (2)	
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Twisted Tailpiece	
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screw, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	

Number	Description		Part Number
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392
41	Tailpiece Kit, 993	Tailpiece	*46929303*
		Clip, Tailpiece	
43*†	Escutcheon, Keypad Only, MS/ MD/993 (Assembly & Screws)	CO-100	23599061

* *Must specify Finish*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599053*
❖ *Must specify Cylinder Type and Handing*

CO-100-993-S KEYPAD ONLY

Interior



Number	Description		Part Number
2*	Cover	Cover	COM200C
		Screw, Cover	
6	Baseplate Assembly, 993		23599251
12	Batteries, AA		F206-488
14*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-E
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
28*	Escutcheon, 993	Escutcheon	46929279
		Screws, Escutcheon	
32	Baseplate Spacer, 993-S	Spacer	46929238
		Screws, Spacer	

* *Must specify Finish*

CO-100-993-M KEYPAD ONLY

Exterior



Number	Description		Part Number
8❖***	Baseplate Subassembly, 993		*See pg. 39*
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
31*	Mounting Plate, 993	Mounting Plate	46929220
		Screws, Mounting Plate (2)	

Number	Description		Part Number
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screw, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392
43*†	Escutcheon, Keypad Only, MS/MD/993 (Assembly & Screws)	CO-100	23599061

* *Must specify Finish*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599053*
❖ *Must specify Cylinder Type and Handing*

CO-100-993-M KEYPAD ONLY

Interior



Number	Description		Part Number
2*	Cover	Cover	COM200C
		Screw, Cover	
6	Baseplate Assembly, 993		23599251
12	Batteries, AA		F206-488
14*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-E
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
28*	Escutcheon, 993	Escutcheon	46929279
		Screws, Escutcheon	

* *Must specify Finish*

CO-200-CY KEYPAD ONLY

Exterior



Number	Description		Part Number
7❖***	Baseplate Subassembly, CY		*See pg. 39*
10	Latch Retractor		46928800
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929154
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
23**	USB Cover (10 pcs.)		46928719
26*	Strike, CY/MS/MD	Strike	*See pg. 44*
		Screws, Strike	
30*	Latch, CY	Latch,	*See pg. 50*
		Screws, Latch	
35⌘	Spindle		*See pg. 41*

Number	Description		Part Number
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392
		Office/Privacy	23518384
43*	Escutcheon, Keypad Only, CY (with Screws)	CO-200	23599079

* *Must specify Finish*
** *For CO-200 Only*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
❖ *Must specify Cylinder Type and Handing*

CO-200-CY KEYPAD ONLY

Interior



Number	Description		Part Number
1*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
4*	Escutcheon, without IPB	Escutcheon, Inside	23599327
		Screws, Escutcheon	
	Escutcheon, with IPB	Escutcheon, Inside	23599335
		Screws, Escutcheon	
12	Batteries, AA		F206-488
17	Inside Mounting Plate Kit	Mounting Plate	23599244
		Screws, Mounting Plate (4)	
22	Door Position Switch		46929121
24*	Lever, Inside		03-030

Number	Description		Part Number
25	Spring Cage, Inside	Spring Cage	23599210
		Screws, Spring Cage (2)	
35⌘	Spindle		*See pg. 41*
38⌘	Spring		*See pg. 41*
40*	Rose, Inside		03-042-RHO
42	Hub		23599228

* *Must specify Finish*

⌘ *This item only available as part of Door Thickness Kit*

CO-200-MS KEYPAD ONLY

Exterior



Number	Description		Part Number
5❖***	Baseplate Subassembly, MS		*See pg. 39*
10	Lock Case, Narrow, 1 1/16" wide		46928818
	Lock Case, 1 1/4" wide		46928826
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
23**	USB Cover (10 pcs.)		46928719
26*	Strike	Strike	*See pg. 44*
		Screws, Strike	
27*	Armor Front, MS/MD	Armor Front	*See pg. 44*
		Screws, Armor Front	

Number	Description		Part Number
35⌘	Spindle		*See pg. 41*
36⌘	Stand-Offs, MS/MD		*See pg. 41*
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392
		Office/Privacy	23518384
44*†	Escutcheon, Keypad Only, MS/MD/993 (Assembly and Screws)	CO-200	23599087

* *Must specify Finish*
** *For CO-200 Only*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599079*
❖ *Must specify Cylinder Type and Handing*

CO-200-MS KEYPAD ONLY

Interior



Number	Description		Part Number
1*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
4*	Escutcheon, without IPB	Escutcheon, Inside	23599327
		Screws, Escutcheon	
	Escutcheon, with IPB	Escutcheon, Inside	23599335
		Screws, Escutcheon	
12	Batteries, AA		F206-488
17	Inside Mounting Plate Kit	Mounting Plate	23599244
		Screws, Mounting Plate (4)	
22	Door Position Switch		46929121
24*	Lever, Inside		03-030

Number	Description		Part Number
25	Spring Cage, Inside	Spring Cage	23599210
		Screws, Spring Cage (2)	
35⌘	Spindle		*See pg. 41*
38⌘	Spring		*See pg. 41*
40*	Rose, Inside		03-042-RHO
42	Hub		23599228

* *Must specify Finish*

⌘ *This item only available as part of Door Thickness Kit*

CO-200-MD KEYPAD ONLY

Exterior



Number	Description		Part Number
5❖***	Baseplate Subassembly, MS		*See pg. 39*
10	Lock Case, Narrow, 1 1/16" wide		46928834
	Lock Case, 1 1/4" wide		46928842
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
23**	USB Cover (10 pcs.)		46928719
26*	Strike	Strike	*See pg. 44*
		Screws, Strike	
27*	Armor Front, MS/MD	Armor Front	*See pg. 44*
		Screws, Armor Front	

Number	Description		Part Number
35⌘	Spindle		*See pg. 41*
36⌘	Stand-Offs, MS/MD		*See pg. 41*
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/ Storeroom	23518392
		Office/Privacy	23518384
44*†	Escutcheon, Keypad Only, MS/MD (Assembly & Screws)	CO-200	23599087

* *Must specify Finish*
** *For CO-200 Only*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599079*
❖ *Must specify Cylinder Type and Handing*

CO-200-MD KEYPAD ONLY

Interior



Number	Description		Part Number
1*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
9*	Escutcheon, without IPB	Escutcheon, Inside	23599327
		Screws, Escutcheon	
	Escutcheon, with IPB	Escutcheon, Inside	23599335
		Screws, Escutcheon	
12	Batteries, AA		F206-488
17	Inside Mounting Plate Kit	Mounting Plate	23599244
		Screws, Mounting Plate (4)	
22	Door Position Switch		46929121
24*	Lever, Inside		03-030

Number	Description		Part Number
25	Spring Cage, Inside	Spring Cage	23599210
		Screws, Spring Cage (2)	
34	Thumbturn, MD		46929113
35⌘	Spindle		*See pg. 41*
38⌘	Spring		*See pg. 41*
40*	Rose, Inside		03-042-RHO
42	Hub		23599228

* *Must specify Finish*

⌘ *This item only available as part of Door Thickness Kit*

CO-200-993-R KEYPAD ONLY

Exterior



Number	Description		Part Number
8❖***	Baseplate Subassembly, 993		*See pg. 39*
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
23**	USB Cover (10 pcs.)		46928719
31*	Mounting Plate, 993	Mounting Plate	46929220
		Screws, Mounting Plate (2)	
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Twisted Tailpiece	
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screw, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	

Number	Description		Part Number
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392
41	Tailpiece Kit, 993	Tailpiece	*46929303*
		Clip, Tailpiece	
43*†	Escutcheon, Keypad Only, MS/MD/993 (Assembly & Screws)	CO-200	23599087

* *Must specify Finish*
** *For CO-200 Only*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599079*
❖ *Must specify Cylinder Type and Handing*

CO-200-993-R KEYPAD ONLY

Interior



Number	Description		Part Number
2*	Cover	Cover	COM200C
		Screw, Cover	
6	Baseplate Assembly, 993		23599251
12	Batteries, AA		F206-488
14*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-E
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
28*	Escutcheon, 993	Escutcheon	46929279
		Screws, Escutcheon	

* *Must specify Finish*

CO-200-993-S KEYPAD ONLY

Exterior



Number	Description		Part Number
8❖***	Baseplate Subassembly, 993		*See pg. 39*
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
23**	USB Cover (10 pcs.)		46928719
31*	Mounting Plate, 993	Mounting Plate	46929220
		Screws, Mounting Plate (2)	
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Twisted Tailpiece	
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screw, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	

Number	Description		Part Number
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392
41	Tailpiece Kit, 993	Tailpiece	*46929303*
		Clip, Tailpiece	
43*†	Escutcheon, Keypad Only, MS/MD/993 (Assembly & Screws)	CO-200	23599087

* *Must specify Finish*
** *For CO-200 Only*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599079*
❖ *Must specify Cylinder Type and Handing*

CO-200-993-S KEYPAD ONLY

Interior



Number	Description		Part Number
2*	Cover	Cover	COM200C
		Screw, Cover	
6	Baseplate Assembly, 993		23599251
12	Batteries, AA		F206-488
14*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-E
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
28*	Escutcheon, 993	Escutcheon	46929279
		Screws, Escutcheon	
32	Baseplate Spacer, 993-S	Spacer	46929238
		Screws, Spacer	

* *Must specify Finish*

CO-200-993-M KEYPAD ONLY

Exterior



Number	Description		Part Number
8❖***	Baseplate Subassembly, 993		*See pg. 39*
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
23**	USB Cover (10 pcs.)		46928719
31*	Mounting Plate, 993	Mounting Plate	46929220
		Screws, Mounting Plate (2)	
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screw, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	

Number	Description		Part Number
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392
43*†	Escutcheon, Keypad Only, MS/MD/993 (Assembly & Screws)	CO-200	23599087

* *Must specify Finish*
** *For CO-200 Only*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599079*
❖ *Must specify Cylinder Type and Handing*

CO-200-993-M KEYPAD ONLY

Interior



Number	Description		Part Number
2*	Cover	Cover	COM200C
		Screw, Cover	
6	Baseplate Assembly, 993		23599251
12	Batteries, AA		F206-488
14*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-E
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
28*	Escutcheon, 993	Escutcheon	46929279
		Screws, Escutcheon	

* *Must specify Finish*

CO-200/250-CY, ALL MODELS EXCEPT KEYPAD ONLY

Exterior



CO-200 Shown Here

Number	Description		Part Number
3*	Escutcheon CY	Escutcheon	23599038
		Screws, Escutcheon	
7❖***	Baseplate Subassembly & Reader Module, CY		*See pg. 39*
10	Latch Retractor		46928800
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929154
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
23**	USB Cover (10 pcs.)		46928719
26*	Strike, CY/MS/MD	Strike	*See pg. 44*
		Screws, Strike	

Number	Description		Part Number
30*	Latch, CY	Latch,	*See pg. 50*
		Screws, Latch	
35⌘	Spindle		*See pg. 41*
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392
		Office/Privacy	23518384

* *Must specify Finish*
** *For CO-200 Only*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
❖ *Must specify Cylinder Type and Handing*

CO-200/250-CY, ALL MODELS EXCEPT KEYPAD ONLY

Interior



Number	Description		Part Number
1*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
4*	Escutcheon, without IPB	Escutcheon, Inside	23599327
		Screws, Escutcheon	
	Escutcheon, with IPB	Escutcheon, Inside	23599335
		Screws, Escutcheon	
12	Batteries, AA		F206-488
17	Inside Mounting Plate Kit	Mounting Plate	23599244
		Screws, Mounting Plate (4)	
22	Door Position Switch		46929121
24*	Lever, Inside		03-030

Number	Description		Part Number
25	Spring Cage, Inside	Spring Cage	23599210
		Screws, Spring Cage	
35⌘	Spindle		*See pg. 41*
38⌘	Spring		*See pg. 41*
40*	Rose, Inside		03-042-RHO
42	Hub		23599228

* *Must specify Finish*

⌘ *This item only available as part of Door Thickness Kit*

CO-200/250-MS, ALL MODELS EXCEPT KEYPAD ONLY

Exterior



CO-200 Shown Here

Number	Description		Part Number
5❖***	Baseplate Subassembly & Reader Module, MS		*See pg. 39*
10	Lock Case, Narrow, 1 1/16" wide		46928818
	Lock Case, 1 1/4" wide		46928826
11*†	Escutcheon, MS/ MD/993 (Assembly & Screws)	Escutcheon	23599046
		Screws, Escutcheon	
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
23**	USB Cover (10 pcs.)		46928719

Number	Description		Part Number
26*	Strike	Strike	*See pg. 44*
		Screws, Strike	
27*	Armor Front, MS/ MD	Armor Front	*See pg. 44*
		Screws, Armor Front	
35⌘	Spindle		*See pg. 41*
36⌘	Stand-Offs, MS/MD		*See pg. 41*
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392

* *Must specify Finish*
** *For CO-200 Only*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599038*
❖ *Must specify Cylinder Type and Handing*

CO-200/250-MS, ALL MODELS EXCEPT KEYPAD ONLY

Interior



Number	Description		Part Number
1*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
4*	Escutcheon, without IPB	Escutcheon, Inside	23599327
		Screws, Escutcheon	
	Escutcheon, with IPB	Escutcheon, Inside	23599335
		Screws, Escutcheon	
12	Batteries, AA		F206-488
17	Inside Mounting Plate Kit	Mounting Plate	23599244
		Screws, Mounting Plate (4)	
22	Door Position Switch		46929121
24*	Lever, Inside		03-030

Number	Description		Part Number
25	Spring Cage, Inside	Spring Cage	23599210
		Screws, Spring Cage (2)	
35⌘	Spindle		*See pg. 41*
38⌘	Spring		*See pg. 41*
40*	Rose, Inside		03-042-RHO
42	Hub		23599228

* *Must specify Finish*

⌘ *This item only available as part of Door Thickness Kit*

CO-200/250-MD, ALL MODELS EXCEPT KEYPAD ONLY

Exterior



CO-200 Shown Here

Number	Description		Part Number
5❖***	Baseplate Subassembly & Reader Module, MS		*See pg. 39*
10	Lock Case, Narrow, 1 1/16" wide		46958834
	Lock Case, 1 1/4" wide		46928842
11*†	Escutcheon, MS/MD/993 (Assembly & Screws)	Escutcheon	23599046
		Screws, Escutcheon	
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
23**	USB Cover (10 pcs.)		46928719

Number	Description		Part Number
26*	Strike	Strike	*See pg. 44*
		Screws, Strike	
27*	Armor Front, MS/MD	Armor Front	*See pg. 44*
		Screws, Armor Front	
35⌘	Spindle		*See pg. 41*
36⌘	Stand-Offs, MS/MD		*See pg. 41*
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392

* *Must specify Finish*
** *For CO-200 Only*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599038*
❖ *Must specify Cylinder Type and Handing*

CO-200/250-MD, ALL MODELS EXCEPT KEYPAD ONLY

Interior



Number	Description		Part Number
1*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-CM
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
9*	Escutcheon, without IPB	Escutcheon, Inside	23599327
		Screws, Escutcheon	
	Escutcheon, with IPB	Escutcheon, Inside	23599335
		Screws, Escutcheon	
12	Batteries, AA		F206-488
17	Inside Mounting Plate Kit	Mounting Plate	23599244
		Screws, Mounting Plate (4)	
22	Door Position Switch		46929121
24*	Lever, Inside		03-030

Number	Description		Part Number
25	Spring Cage, Inside	Spring Cage	23599210
		Screws, Spring Cage (2)	
34	Thumbturn, MD		46929113
35⌘	Spindle		*See pg. 41*
38⌘	Spring		*See pg. 41*
40*	Rose, Inside		03-042-RHO
42	Hub		23599228

* *Must specify Finish*

⌘ *This item only available as part of Door Thickness Kit*

CO-200/250-993-R, ALL MODELS EXCEPT KEYPAD ONLY

Exterior



CO-200 Shown Here

Number	Description		Part Number
3*†	Escutcheon, MS/ MD/993 (Assembly & Screws)	Escutcheon	23599046
		Screws, Escutcheon	
8❖***	Baseplate Subassembly & Reader Module, 993		*See pg. 39*
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
23**	USB Cover (10 pcs.)		46928719
31*	Mounting Plate, 993	Mounting Plate	46929220
		Screws, Mounting Plate (2)	

Number	Description		Part Number
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Twisted Tailpiece	
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screw, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392
41	Tailpiece Kit, 993	Tailpiece	*46929303*
		Clip, Tailpiece	

* *Must specify Finish*
** *For CO-200 Only*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599038*
❖ *Must specify Cylinder Type and Handing*

CO-200/250-993-R, ALL MODELS EXCEPT KEYPAD ONLY

Interior



Number	Description		Part Number
2*	Cover	Cover	COM200C
		Screw, Cover	
6	Baseplate Assembly, 993		23599251
12	Batteries, AA		F206-488
14*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-E
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
28*	Escutcheon, 993	Escutcheon	46929279
		Screws, Escutcheon	

* *Must specify Finish*

CO-200/250-993-S, ALL MODELS EXCEPT KEYPAD ONLY

Exterior



CO-200 Shown Here

Number	Description		Part Number
3*†	Escutcheon, MS/ MD/993 (Assembly & Screws)	Escutcheon	23599046
		Screws, Escutcheon	
8❖***	Baseplate Subassembly & Reader Module, 993		*See pg. 39*
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
23**	USB Cover (10 pcs.)		46928719
31*	Mounting Plate, 993	Mounting Plate	46929220
		Screws, Mounting Plate (2)	

Number	Description		Part Number
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Twisted Tailpiece	
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screw, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392
41	Tailpiece Kit, 993	Tailpiece	*46929303*
		Clip, Tailpiece	

* *Must specify Finish*
** *For CO-200 Only*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599038*
❖ *Must specify Cylinder Type and Handing*

CO-200/250-993-S, ALL MODELS EXCEPT KEYPAD ONLY

Interior



Number	Description		Part Number
2*	Cover	Cover	COM200C
		Screw, Cover	
6	Baseplate Assembly, 993		23599251
12	Batteries, AA		F206-488
14*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-E
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
28*	Escutcheon, 993	Escutcheon	46929279
		Screws, Escutcheon	
32	Baseplate Spacer, 993-S	Spacer	46929238
		Screws, Spacer	

* *Must specify Finish*

CO-200/250-993-M, ALL MODELS EXCEPT KEYPAD ONLY

Exterior



CO-200 Shown Here

Number	Description		Part Number
3*†	Escutcheon, MS/MD/993 (Assembly & Screws)	Escutcheon	23599046
		Screws, Escutcheon	
8❖***	Baseplate Subassembly & Reader Module, 993		*See pg. 39*
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929162
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
23**	USB Cover (10 pcs.)		46928719
31*	Mounting Plate, 993	Mounting Plate	46929220
		Screws, Mounting Plate (2)	

Number	Description		Part Number
33	Spindle and Hub Kit, 993	Tailpiece	46929295
		Clip, Tailpiece	
		Cover, Spindle, 993	
		Screw, Spindle Cover	
		Hub	
		Spring, Tailpiece, 993	
37⌘	Baseplate Stand-Offs		*See pg. 41*
39	Wiring Harness	Classroom/Storeroom	23518392

* *Must specify Finish*
** *For CO-200 Only*
*** *This item only available as part of Exterior Escutcheon Assembly*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599038*
❖ *Must specify Cylinder Type and Handing*

CO-200/250-993-M, ALL MODELS EXCEPT KEYPAD ONLY

Interior



Number	Description		Part Number
2*	Cover	Cover	COM200C
		Screw, Cover	
6	Baseplate Assembly, 993		23599251
12	Batteries, AA		F206-488
14*	4AA Battery Holder & Cover Kit	4AA Battery Holder	4B-E
		4AA Battery Strap	
		Screws, Battery Strap (2)	
		4AA Battery Cover	
		Screw, Battery Cover (1)	
28*	Escutcheon, 993	Escutcheon	46929279
		Screws, Escutcheon	

* *Must specify Finish*

CO-993-DT

Exterior



CO-200 Shown Here

Number	Description		Part Number
3*†	Escutcheon, MS/ MD/993 (Assembly & Screws)	Escutcheon	23599046
		Screws, Escutcheon	
15*	Cylinder		*See pg. 48*
16	Gasket Kit, Outside	Gasket, Baseplate	46929154
		Gasket, Reader	
18*	Lever, Outside		*See pg. 45*
21	Spring Cage, Outside	Spring Cage	*See pg. 46*
		Screws, Spring Cage	
		Gasket, O-Ring	
31*	Mounting Plate, 993	Mounting Plate	46929220
		Screws, Mounting Plate (2)	
37⌘	Baseplate Stand-Offs		*See pg. 41*

* *Must specify Finish*
⌘ *This item only available as part of Door Thickness Kit*
† *If using GD/BD Cylinder and Lever preparation, use part number 23599038*

EXTERIOR ESCUTCHEON ASSEMBLIES WITH READER MODULES

Outside Escutcheon Assemblies are used to replace existing Baseplate Subassemblies and Reader Modules. Outside Escutcheons will include outside escutcheon assembly, less lever and cylinder. If a lever or cylinder are required, these must be ordered separately.

To order, specify ***EXT*** at the beginning of the ordering string procedure detailed on page 51. Please contact customer service for more information.

Ordering example for a CO 200 MSK exterior escutcheon: ***EXT-CO-200-CY-70-MSK-LLL-626-PD-RH***.

Keypad Only
Part Number: KP

Available In:
CO-100, CO-200

Available Finishes:
605, 606, 612, 619,
625, 626, 626AM,
643E



Magnetic Stripe (Swipe) (Track 1, 2 or 3)
Part Number: MS

Available In:
CO-200, CO-250

Available Finishes:
605, 606, 612, 619,
625, 626, 626AM,
643E



Magnetic Stripe (Swipe) with Keypad (Track 1, 2 or 3)
Part Number: MSK

Available In:
CO-200, CO-250

Available Finishes:
605, 606, 612, 619,
625, 626, 626AM,
643E



Proximity
Part Number: PR

Available In:
CO-200

Available Finishes:
605, 606, 612, 643E
(BRN Reader)
619, 625, 626, 626AM
(GRY Reader)



Proximity with Keypad
Part Number: PRK

Available In:
CO-200

Available Finishes:
605, 606, 612, 643E
(BRN Reader)
619, 625, 626, 626AM
(GRY Reader)



Non-Functioning Dummy Trim Reader Cover
Part Number: DT

Available In:
CO-993-DT

Available Finishes:
605, 606, 612, 643E
(BRN Reader)
619, 625, 626, 626AM
(GRY Reader)



CO-200/250 COIN CELL BATTERY REPLACEMENT

Keypad Only locks contain the coin cell battery and holder on the PC Board Assembly, while the Removable Reader Type locks have the coin cell battery within the back of the Reader Module.

Coin cell part number: 46929147



Keypad Only Type Locks



Removable Reader Type Locks

DECORATIVE PLATES

Decorative Plates are used to cover exposed holes when retrofitting from existing locks to CO-Series locks. Except for Exit Trim Decorative Plate, all plates are 3.5" wide and 0.075" thick. The size of plate required will vary based on the size and location of holes being covered. Retrofit information can be found at www.schlage.com/support.

Part Number	23631823	23760267	23760283	23760317	23760325	23760309	23760291	23760259	23760275
Description	Exit Trim Decorative Plate (1.5" H x 3.25" W x 0.105" D	1.7" Decorative Plate	3.2" Decorative Plate	6" Decorative Plate	6.6" Decorative Plate	8" Decorative Plate	8" Decorative Plate	10.5" Decorative Plate	12" Decorative Plate
									

* *Each plate is 0.075" thick, so if two Under Device Plate are required, the over door thickness will increase by more than ⅛".*

ⓘ **Note:** Please consider door thickness when specifying a new CO-Series lock or ordering a Door Thickness Kit. See page 41 for Door Thickness Kits.

Example order: For CO 10.5" Decorative Plate with a 626 Finish, order would be: 23760259-626

DOOR THICKNESS KIT

The Door Thickness Kit is used to install a lock on a door that is thicker or thinner than 1¾". Use the chart below to determine what is needed. This kit can also be used as replacement parts. Locks cannot be installed on doors thicker than 2¾" or thinner than 1⅜".

Compatibility:

Models	CO-100 / CO-200
Types	CY / MS / MD

Lock Type	Door Thickness	Kit Number	Contents (Item Letters)
CY	1⅜"	23599376-138	A, B, C, D, E, F, G, H
	1½"	23599376-112	A, B, C, D, E, F, G, H
	1⅝"	23599376-158	A, B, C, D, E, F, G, H
	1¾" (Standard)	23599376-134	A, B, C, D, E, F, H
	1⅞"	23599376-178	A, B, C, D, E, F, H
	2"	23599376-200	A, B, C, D, E, F, H
	2⅛"	23599376-218	A, B, C, D, E, F, H
	2¼"	23599376-214	A, B, C, D, E, F, H
	2⅜"	23599376-238	A, B, C, D, E, F, H
	2½"	23599376-212	A, B, C, D, E, F, H
	2⅝"	23599376-258	A, B, C, D, E, F, H
	2¾"	23599376-234	A, B, C, D, E, F, H

Lock Type	Door Thickness	Kit Number	Contents (Item Letters)
MS/MD	1⅜"	23599384-138	A, B, D, E, F, G, H, J, K, L, M
	1½"	23599384-112	A, B, D, E, F, G, H, J, K, L, M
	1⅝"	23599384-158	A, B, D, E, F, G, H, J, K, L, M
	1¾" (Standard)	23599384-134	A, B, D, E, F, G, H, J, K, L, M
	1⅞"	23599384-178	A, B, D, E, F, G, H, J, K, L, M
	2"	23599384-200	A, B, D, E, F, G, H, J, K, L, M
	2⅛"	23599384-218	A, B, D, E, F, G, H, J, K, L, M
	2¼"	23599384-214	A, B, D, E, F, G, H, J, K, L, M
	2⅜"	23599384-238	A, B, D, E, F, G, H, J, K, L, M
	2½"	23599384-212	A, B, D, E, F, G, H, J, K, L, M
	2⅝"	23599384-258	A, B, D, E, F, G, H, J, K, L, M
	2¾"	23599384-234	A, B, D, E, F, G, H, J, K, L, M

Item Letter	Description	Quantity
A*	Baseplate Top Screws	2
B*	UL Door Plate Screws	2
C*	UL Plate to Outside Baseplate, CY	2
D	Pin Wrench for Lever	1
E	Spring, Inside Spindle	1
F	Spindle Assembly	2
G	Shim Plates	3
H	Standoffs	CY-2 MS/MD-4
J	Mortise Standoffs	2
K	UL Plate to Outside Baseplate, MS/MD	2
L	Bottom Oval Head Mounting Screws	2
M	Finishing Washer	2

* *The length of these items varies by door thickness. See charts on page 42 for more information.*



EXIT DEVICE DOOR THICKNESS KITS

This kit includes mounting hardware for the 993 series trims. When ordering this kit, door thickness and trim finish specification is required.

Part Number	Kit Description	Contents	Specify Finish
46929287*	Mounting Hardware Kit, 993	(2) Upper Mounting Bolts	•
		(4) Lower Mounting Bolts	
		(2) Reader Mounting Bolts	

MOUNTING SCREW AND SPINDLE DETAILS FOR CY, MS, AND MD

The charts below show the details of items that vary by door thickness. These parts are not sold individually. They can be purchased within the Door Thickness Kits which are shown on page 41.

Item	Baseplate Mounting Screws Type and Length	Door Thickness											
		1⅜"	1½"	1⅝"	1¾"	1⅞"	2"	2⅛"	2¼"	2⅜"	2½"	2⅝"	2¾"
A	#10-24 x ⅞" Pan Head Phillips Machine Screw	x	x	x	x								
	#10-24 x 1⅛" Pan Head Phillips Machine Screw	x	x	x		x	x						
	#10-24 x 1⅜" Pan Head Phillips Machine Screw							x	x				
	#10-24 x 1⅝" Pan Head Phillips Machine Screw									x	x		
	#10-24 x 1⅞" Pan Head Phillips Machine Screw											x	x

Item	UL Door Plate Screws Type and Length	Door Thickness											
		1⅜"	1½"	1⅝"	1¾"	1⅞"	2"	2⅛"	2¼"	2⅜"	2½"	2⅝"	2¾"
B	#8-32 x ⅜" Flat Head Phillips Machine Screw	x	x	x	x	x	x	x	x	x	x	x	x
	#8-32 x 7⁄16" Flat Head Phillips Machine Screw	x	x	x									

Item	Outside Baseplate Screws for UL Plate Type and Length	Door Thickness											
		1⅜"	1½"	1⅝"	1¾"	1⅞"	2"	2⅛"	2¼"	2⅜"	2½"	2⅝"	2¾"
C	#8-32 x 1" Flat Head Phillips Machine Screw	x	x	x	x	x	x						
	#8-32 x 1⅜" Flat Head Phillips Machine Screw							x	x	x	x	x	x

Item	Spindle Assembly Type and Length	Door Thickness											
		1⅜"	1½"	1⅝"	1¾"	1⅞"	2"	2⅛"	2¼"	2⅜"	2½"	2⅝"	2¾"
F	CY Spindle Assembly 1.30"	x	x	x	x	x	x						
	CY Spindle Assembly 1.50"							x	x	x			
	CY Spindle Assembly 1.70"										x	x	x
	MS/MD Assembly Spindle 1.65"	x	x	x	x	x	x						
	MS/MD Assembly Spindle 1.84"							x	x	x			
	MS/MD Assembly Spindle 2.02"										x	x	x

Item	Outside Baseplate Standoff Screws for UL Plate Type and Length	Door Thickness											
		1⅜"	1½"	1⅝"	1¾"	1⅞"	2"	2⅛"	2¼"	2⅜"	2½"	2⅝"	2¾"
K	#10-24 x ¾" Flat Head Phillips Machine Screw	x	x	x	x	x							
	#10-24 x 1" Flat Head Phillips Machine Screw	x	x	x			x	x					
	#10-24 x 1¼" Flat Head Phillips Machine Screw								x	x			
	#10-24 x 1½" Flat Head Phillips Machine Screw										x	x	
	#10-24 x 1¾" Flat Head Phillips Machine Screw												x

Item	Bottom Mounting Screws Type and Length	Door Thickness											
		1⅜"	1½"	1⅝"	1¾"	1⅞"	2"	2⅛"	2¼"	2⅜"	2½"	2⅝"	2¾"
M	#10-24 x ¾" Oval Head Phillips Machine Screw	x	x										
	#10-24 x 1" Oval Head Phillips Machine Screw			x	x								
	#10-24 x 1¼" Oval Head Phillips Machine Screw					x	x						
	#10-24 x 1½" Oval Head Phillips Machine Screw							x	x				
	#10-24 x 1¾" Oval Head Phillips Machine Screw									x	x		
	#10-24 x 2" Oval Head Phillips Machine Screw											x	x

Spindle for CY/MS/MD



THIN DOOR SHIMS

Thin Door Shims are used to install a lock on a door that is thinner than 1¾". These shims are sold in the Door Thickness Kit and individually.

Compatibility:

Models	CO-100 / CO-200
Types	CY / MS / MD

		Quantity of Shims Required		
Description	**Part Number**	**1⅜" Door**	**1½" Door**	**1⅝" Door**
Exterior Shim Plate	23458599	3	2	1
Interior Shim Plate	23599368	3	2	1

Exterior Shim Plate
23458599



Interior Shim Plate
23599368



WIRING HARNESS REPLACEMENT

This kit is used to replace an existing Wiring Harness as required. This part replacement is not the same for Keypad Only.

Description	**Part Number**
Classroom/Storeroom Wiring Harness	23518392
Office/Privacy Wiring Harness	23518384



Non-Keypad



Keypad Only

STRIKE PLATES

10-025
ANSI, No box
Size:
1¼" x 4⅞"
Lip Length:
1³⁄₁₆", 1⅜"
Available Finishes:
605, 606, 612, 619, 625, 626, 643E



10-013
Square Corner, T Strike with box
Size:
1⅛" x 2¾"
Lip Length:
1⅛", 1½"
Available Finishes:
605, 606, 612, 619, 625, 626, 643E



10-072
Square Corner, Box
Size:
1¼" x 4⅞"
Lip Length:
1³⁄₁₆", ⅞", 1", 1½", 1¾", 2"
Available Finishes:
605, 606, 612, 619, 625, 626, 643E



K510-066
Plastic Box for ANSI Strike
Available Finishes:
N/A

10-016
Square Corner, T Strike with Deep Box, Fire Latch Door
Lip Length:
1⅛"
Available Finishes:
605, 606, 612, 619, 625, 626, 643E



10-075**
½" Rabbeted
Available Finishes:
605, 606, 612, 619, 625, 626, 643E



XL11-820*
One Hole for Latching Functions, RH and LHR Door
Lip Length:
1³⁄₁₆"
Available Finishes:
605, 606, 612, 619, 625, 626, 643E



XL11-821*
One Hole for Latching Functions, LH and RHR Door
Lip Length:
1³⁄₁₆"
Available Finishes:
605, 606, 612, 619, 625, 626, 643E



37-015
Frame Reinforcer
Available Finishes:
605, 606, 612, 619, 625, 626, 643E



* *Extended leadtime; consult Customer Service*

MORTISE LOCK ARMOR FRONTS

Available finishes are 605, 606, 612, 619, 625, and 626.

1¼" Wide	1³⁄₁₆" Wide	Description
09-663	09-669	Latch and Auxiliary Latch
		

1¼" Wide	1³⁄₁₆" Wide	Description
09-666	09-672	Latch, Auxiliary Latch, and Deadbolt
		

** *For 1¾" thick doors, use wide armor front. For over 1¾" thick door extended equally (EE), use 1¼" wide armor front*

LEVERS

Levers shown below can accommodate Schlage and Falcon cylinders. Levers listed on page 46 will accommodate additional competitor cylinders. All lever designs are available in finishes 605, 606, 612, 619, 625, 626, 643E and 626AM.

	Interior Levers	Exterior Levers		
	Closed	**Key In Lever**	**Interchangeable Core**	
	No Cylinder	KIL 6 Pin (Schlage & Falcon Cylinders)	FSIC 6 Pin (Schlage Cylinders)	SFIC 6 & 7 Pin (Schlage, Falcon, BEST, Corbin Russwin, Yale, Medeco Cylinders)
Rhodes (RHO)* 	03-030 RHO A=2⁷⁄₁₆" B=2¹⁵⁄₁₆" 	CY: 03-031 RHO MS/MD: 09-331 RHO 993: 03-331 RHO A=2⁷⁄₁₆" B=2¹⁵⁄₁₆" 	CY: 03-032 RHO MS/MD: 09-332 RHO 993: 03-332 RHO A=2¾" B=3¼" 	CY: 03-000 RHO MS/MD: 03-000 RHO 993: 03-300 RHO A=2½" B=3" 
Sparta (SPA)* 	03-030 SPA A=3" B=3½"	CY: 03-031 SPA MS/MD: 09-331 SPA 993: 03-331 SPA A=3" B=3½"	CY: 03-032 SPA MS/MD: 09-332 SPA 993: 03-332 SPA A=3¼" B=3¾"	CY: 03-000 SPA MS/MD: 03-000 SPA 993: 03-300 SPA A=3" B=3½"
Tubular (TLR)* 	03-030 TLR A=2¼" B=3" 	CY: 03-031 TLR MS/MD: 09-331 TLR 993: 03-331 TLR A=2¼" B=3" 	CY: 03-032 TLR MS/MD: 09-332 TLR 993: 03-332 TLR A=2½" B=3³⁄₁₆" 	CY: 03-000 TLR MS/MD: 03-000 TLR 993: 03-300 TLR A=2¼" B=3" 
Athens (ATH) 	03-030 ATH A=2¾" B=3⁵⁄₁₆" C=2½" 	CY: 03-031 ATH MS/MD: 09-331 ATH 993: 03-331 ATH A=2¾" B=3⁵⁄₁₆" C=2½" 	CY: 03-032 ATH MS/MD: 09-332 ATH 993: 03-332 ATH A=3" B=3½" C=2¹¹⁄₁₆" 	CY: 03-000 ATH MS/MD: 03-000 ATH 993:03-300 ATH A=2⅞" B=3⅜" C=2½" 

* *Meets California Fire Code for ½" or less return to the door*

NOTE: Changing Lever Cylinder Compatibility on a device typically requires replacement of existing spring cage and tailpiece

TACTILE WARNING LEVER

Rhodes lever shown	Tubular lever shown	Preface Design Code for Tactile Warning Levers			
		Athens	Rhodes*	Sparta*	Tubular*
		8AT	8RH	8SP	8TR

LEVERS CONTINUED

LEVERS FOR USE WITH COMPETITOR CYLINDERS

Competitor lever designs come in finishes 626 standard, and 605, 606, 612, 619, 625, 643e, and 626 AM with extended lead-times.

Cylinder	Order Suffix	Cylinder Type	Lever Design-Part Numbers			
			Rhodes	Sparta	Tubular	Athens
	LD SA6	KIL 6 Pin (Sargent Cylinders)	CY: 03-044-RHO CY: 03-044-8RO** MS/MD: 09-344-RHO MS/MD: 09-344-8RO** 993: 03-344-RHO 993: 03-344-8RO**	CY: 03-044-SPA CY: 03-044-8SP** MS/MD: 09-344-SPA MS/MD: 09-344-8SP** 993: 03-344-SPA 993: 03-344-8SP**	CY: 03-044-TLR CY: 03-044-8TR** MS/MD: 09-344-TLR MS/MD: 09-344-8TR** 993: 03-344-TLR 993: 03-344-8TR**	CY: 03-044-ATH CY: 03-044-8AT** MS/MD: 09-344-ATH MS/MD: 09-344-8AT** 993: 03-344-ATH 993: 03-344-8AT**
	LD FA7	KIL 7 Pin (Falcon Cylinders)	CY: 23779739 CY: 23779747** MS/MD: 09-331-RHO MS/MD: 09-331-8RO** 993: 03-331-RHO 993: 03-331-8RO**	CY: 23779762 CY: 23779770** MS/MD: 09-331-SPA MS/MD: 09-331-8SP** 993: 03-331-SPA 993: 03-331-8SP**	N/A	N/A
	JD SA6	FSIC 6 Pin (Sargent Cylinders)	CY: 03-077-RHO CY: 03-077-8RO** MS/MD: 09-377-RHO MS/MD: 09-377-8RO** 993: 03-377-RHO 993: 03-377-8RO**	CY: 03-077-SPA CY: 03-077-8SP** MS/MD: 09-377-SPA MS/MD: 09-377-8SP** 993: 03-377-SPA 993:03-377-8SP**	CY: 03-077-TLR CY: 03-077-8TR** MS/MD: 09-377-TLR MS/MD: 09-377-8TR** 993: 03-377-TLR 993: 03-377-8TR**	CY: 03-077-ATH CY: 03-077-8AT** MS/MD: 09-377-ATH MS/MD: 09-377-8AT** 993: 03-377-ATH 993: 03-377-8AT**
	JD CO6	FSIC 6 Pin (Corbin Russwin Cylinders)	CY: 03-066-RHO CY: 03-066-8RO** MS/MD: 09-366-RHO MS/MD: 09-366-8RO** 993: 03-366-RHO 993: 03-366-8RO**	CY: 03-066-SPA CY: 03-066-8SP** MS/MD: 09-366-SPA MS/MD: 09-366-8SP** 993: 03-366-SPA 993: 03-366-8SP**	CY: 03-066-TLR CY: 03-066-8TR** MS/MD: 09-366-TLR MS/MD: 09-366-8TR** 993: 03-366-TLR 993: 03-366-8TR**	CY: 03-066-ATH CY: 03-066-8AT** MS/MD: 09-366-ATH MS/MD: 09-366-8AT** 993: 03-366-ATH 339: 03-366-8AT**
	JD CO7	FSIC 7 Pin (Corbin Russwin Cylinders)	CY: 23991086 CY: 23854532** MS/MD: 09-366-RHO MS/MD: 09-366-8RO** 993: 03-366-RHO 993: 03-366-8RO**	CY: 23991094 CY: 23854557** MS/MD: 09-366-SPA MS/MD: 09-366-8SP** 993: 03-366-SPA 993: 03-366-8SP**	CY: 23991102 CY: 23854573** MS/MD: 09-366-TLR MS/MD: 09-366-8TR** 993: 03-366-TLR 993: 03-366-8TR**	MS/MD:09-366-ATH MS/MD: 09-366-8AT** 993: 03-366-ATH 993: 03-366-8AT**
	*JD YA6	FSIC 6 Pin (Yale/*Medeco Cylinders)	CY: 23794225-RHO MS/MD: 09-355-RHO MS/MD: 09-355-8RO** 993: 03-355-RHO 993: 03-355-8RO**	CY: 23794225-SPA MS/MD: 09-355-SPA MS/MD: 09-355-8SP** 993: 03-355-SPA 993: 03-355-8SP**	CY: 23794225-TLR MS/MD: 09-355-TLR MS/MD: 09-355-8TR** 993: 03-355-TLR 993: 03-355-8TR**	CY: 23794225-ATH MS/MD: 09-355-ATH MS/MD: 09-355-8AT** 993: 03-355-ATH 993: 03-355-8AT**
	JD YA7	FSIC 7 Pin (Yale Cylinders)	CY: 23929524 CY: 23929540** MS/MD: 23929656 MS/MD: 23929672** 993: 24098204 993: 24098212**	CY: 23929532 CY: 23929557** MS/MD: 23929664 MS/MD: 23929680** 993: 23929524 993: 24098238**	N/A	N/A
	JD MED	FSIC 6 Pin (Medeco Cylinders)	CY/MS/MD: 23922347 CY/MS/MD: 23810799** 993: 24098162 993: 24098188**	CY/MS/MD: 23922339 CY/MS/MD: 23810807** 993: 24098170 993: 24098196**	N/A	N/A

* *Accepts Medeco retrofit cylinder for Yale, Medeco p/n 31-0100 FSIC type*

** *Tactile Warning Lever*

SPRING CAGES

	Order Suffix	Cylinder Type	CO Chassis Type			
			CY	MS/MD	993 (Except ATH & 8AT)	993 (Only ATH & 8AT)
Exterior	PD/LD	KIL 6 Pin (Schlage & Falcon Cylinders)	46928552	46928602	46928651	
	RD/JD	FSIC 6 Pin (Schlage Cylinders)	46928552	46928610	46928651	
	GD/BD	SFIC 6 & 7 Pin (Schlage, Falcon, BEST, Corbin Russwin, Yale, Medeco Cylinders)	46928560		46928669	
	LD SA6	KIL 6 Pin (Sargent Cylinders)	46928578	46928628	46928677	
	LD FA7	KIL 7 Pin (Falcon Cylinders)	23845969	23845977	23779838	N/A
	LD CO6	KIL 6 Pin (Corbin Russwin Cylinders)	24281750	24281776	24289910	N/A
	JD SA6	FSIC 6 Pin (Sargent Cylinders)	46928586	46928636	46928685	
	JD CO6	FSIC 6 Pin (Corbin Russwin Cylinders)	46928586	46928636	46928693	
	JD CO7	FSIC 7 Pin (Corbin Russwin Cylinders)	23990674	23988033	23988017	N/A
	JD YA6*	FSIC 6 Pin (Yale/Medeco Cylinders*)	46928594	46928644	46928701	
	JD YA7	FSIC 7 Pin (Yale Cylinders)	24281743	24281768	24289928	N/A
	JD MED	FSIC 6 Pin (Medeco Cylinders)	24281735		24289902	N/A
Interior	All	N/A	23599210		N/A	N/A

* *Accepts Medeco retrofit cylinder for Yale, Medeco p/n 31-0100 FSIC type*

EXAMPLES OF SPRING CAGES

46928552
Cylindrical



46928602
Mortise



46928610
Mortise



46928560
Cylindrical & Mortise



46928651
993 Exit Trim



23599210
(Inside)



23990674
Cylindrical



23988033
Mortise



TAILPIECES

SINGLE TAILPIECES

Order Suffix	Cylinder Type	Cylinder OEM	CO Chassis Type			
			CY	MS/MD	993 (Except ATH 8AT)	993 (Only ATH & 8AT)
PD	KIL	Schlage (6 Pin)	C604-243*	23538085*		
			C603-524**	23538077**		
LD	KIL (Less)	Schlage (6 Pin)	C604-243*	23538085*		
			C603-524**	23538077**		
		Falcon (6 Pin)	02164-001***	02164-002***		
RD	FSIC	Schlage (6 Pin)	23446339			
JD	FSIC (Less)	Schlage (6 Pin)	23446339			
GD	SFIC	Schlage (7 Pin)	23446347	N523-091		23446347
BD	SFIC (Less)	Schlage, Falcon, BEST, Corbin Russwin, Yale, Medeco (6 & 7 Pin)	46929456❖	09-774†		46929456
LD SA6	KIL (Less)	Sargent (6 Pin)	23433626	23443427		
LD FA7	KIL (Less)	Falcon (7 Pin)	23779820			N/A
JD SA6	FSIC (Less)	Sargent (6 Pin)	23433634	23443435		
JD CO6	FSIC (Less)	Corbin Russwin (6 Pin)	23433634	23443435		
JD CO7	FSIC (Less)	Corbin Russwin (7 Pin)	23854516			N/A
JD YA6	FSIC (Less)	Yale (6 Pin)	23759863⌘	23760366⌘		
JD YA7	FSIC (Less)	Yale (7 Pin)	23929714	23929722		N/A
JD MED	FSIC (Less)	Medeco (6 Pin)	23810898			N/A

* *Compatible only with Everest Primus and Modular Cylinders*
** *Compatible only with Legacy Classic Cylinders (not compatible with Everest Primus or Modular Cylinders)*
*** *Requires Spacer 024264-000 and Retainer 012053-000*
❖ *This is a kit containing Tailpiece 23446347, Spacer D500-000, and Instruction Sheet P515-159*
† *This is a kit containing Tailpiece N523-091, Spacer D500-000, and Instruction Sheet P515-159*
⌘ *Compatible also with Medeco 31-0100 Cylinders (FSIC Cylinder Type)*

EXAMPLES OF SINGLE TAILPIECES

C603-524**



C604-243*



23538077**



23538085*



23433626



23443427



23433634



23443435



23446339



N523-091



23759863 ⌘



23760366 ⌘



23854516



SPRING CAGE AND TAILPIECES KITS

Order Suffix	Cylinder Type	Quantity in Package	CO Chassis Type			
			CY	MS/MD	993 (Except ATH & 8AT)	993 (Only ATH & 8AT)
PD/LD	KIL 6 Pin (Schlage & Falcon Cylinders)	10	23593270	23593346		
RD/JD	FSIC 6 Pin (Schlage Cylinders)	10	23593288	23593353		
GD/BD	SFIC 6 & 7 Pin (Schlage, Falcon, BEST, Corbin Russwin, Yale, Medeco Cylinders)	10	23593304		23593437	23593510
LD SA6	KIL 6 Pin (Sargent Cylinders)	1	23593312	23593379		
LD FA7	KIL 7 Pin (Falcon Cylinders)	1	23845985	23845993	23810872	N/A
LD CO6	KIL 6 Pin (Corbin Russwin Cylinders)	1	24281818	24281834	24289951	N/A
JD SA6	FSIC 6 Pin (Sargent Cylinders)	1	23593320	23593387		
JD CO6	FSIC 6 Pin (Corbin Russwin Cylinders)	1	23593320	23593387		
JD CO7	FSIC 7 Pin (Corbin Russwin Cylinders)	1	23990666	23988041	23988025	N/A
*JD YA6	FSIC 6 Pin (Yale/*Medeco Cylinders)	1	23593338	23593395		
JD YA7	FSIC 7 Pin (Yale Cylinders)	1	24281800	24281826	24289944	N/A
JD MED	FSIC 6 Pin (Medeco Cylinders)	1	24281792		24289936	N/A

* *Accepts Medeco retrofit cylinder for Yale, Medeco p/n 31-0100 FSIC type*

CYLINDERS

Chassis	Cylinder Suffix*	Classic	Everest	Primus	Primus XP	Primus UL 437	Primus UL 437 XP
Cylindrical	PD	23-013	23-013-EV	20-750	20-750-XP	20-550	20-550-XP
	RD	23-030	23-030-EV	20-740	20-740-XP		
Mortise	PD	23-118	23-118-EV	20-854	20-854-XP	20-554	20-554-XP
	RD	23-030	23-030-EV	20-740	20-740-XP		
Exit	PD (All Except ATH, 8AT)	23-118	23-118-EV	20-854	20-854-XP	20-554	20-554-XP
	PD (ATH, 8AT)	23-013	23-013-EV	20-750	20-750-XP	20-550	20-550-XP
	RD	23-030	23-030-EV	20-740	20-740-XP		
All	GD		80-037				

* *Definitions available on page 47*

Classic, Everest
PD
23-013
23-013-EV
23-118
23-118-EV



Primus, Primus XP
PD
20-750
20-750-XP
20-854
20-854-XP



Primus UL 437,
Primus UL, 437 XP
PD
20-550
20-550-XP
20-554
20-554-XP



Classic, Everest
RD
23-030
23-030-EV



Primus, Primus XP
RD
20-740
20-740-XP



Everest
GD
80-037



LATCHES

13-049



14-049



14-050



14-051



43-001



Backset	Description	Part Number
2¾"	½" Size, Square Corner, Electrified Latch, 1⅛" x 2¼"	13-049
2¾"	¾" Size, Anti-Friction Fire Door Latch, 1⅛" x 2¼"	14-049
3¾"	½" Size, Square Corner Latchbolt, 1⅛" x 2¾"	14-050
2⅜"	½" Size, Square Corner Latchbolt, 1⅛" x 2¾"	14-051
5"	½" Latchbolt Bracket Extension	43-001

COVER SCREW PACKS

Torx® Screw Packs are used to replace standard screws to provide increased security. Standard screw packs shipped with the product include only Phillips head screws.

Part Number	Kit Description	Contents
23631765*	Tamper Torx Screw Pack, CY	(4) Flat Head Torx Screws, #8-32 (T-15), ½" length
		(2) Flat Head Torx Screws, #12-24 (T-20), ½" length
		(1) Torx Screw, #8-32 x 1" MS Pin
23631781*	Tamper Torx Screw Pack, MS/MD	(2) Flat Head Torx Screws, #8-32 (T-15), ¼" length
		(2) Flat Head Torx Screws, #12-24 (T-20), ½" length
		(1) Torx Screw, #8-32 x 1" MS Pin
		(2) Oval Head Torx Screws, #10-24 x ¾"
		(2) Oval Head Torx Screws, #10-24 x 1"
		(2) Oval Head Torx Screws, #10-24 x 1¼"
		(2) Oval Head Torx Screws, #10-24 x 1½"
		(2) Oval Head Torx Screws, #10-24 x 1¾"
		(2) Oval Head Torx Screws, #10-24 x 2"
23631799*	Tamper Torx Screw Pack, 993	(2) Oval Head Torx Screws, #10-24 x 1"
		(2) Oval Head Torx Screws, #10-24 x 1¼"
		(2) Oval Head Torx Screws, #10-24 x 1½"
		(2) Oval Head Torx Screws, #10-24 x 1¾"
		(2) Oval Head Torx Screws, #10-24 x 2"
		(2) Torx Screws, #8-32 x ¾" MS Pin

* *Must specify Finish*

ORDERING PROCEDURES

How to Order:

REQUIRED FIELDS | **FACTORY DEFAULT AND OPTIONS**

CO– 200 – CY – 70 – MS – SPA – 626 – PD – C123 – RH – 4B – 13-049 – 10-025 – 1-3/4 – ___

1. Series

2. Class
- 100 Manually Programmable Rights on Lock
- 200 Rights on Lock
- 250 Rights on Magnetic Card

3. Chasis:
- CY Cylindrical
- MS Mortise
- MD Mortise Deadbolt
- 993R Exit Trim – Rim/CVR
- 993S Exit Trim – SVR
- 993M Exit Trim – Mortise

4. Function:
- 70 Classroom/Storeroom
- 50 Office
- 40 Privacy

5. Reader:
- KP Keypad
- MS Magnetic Stripe (Swipe)
- MSK Magnetic Stripe (Swipe) + Keypad
- PR Proximity
- PRK Proximity + Keypad

6. Lever:*
- SPA Sparta (Standard)
- RHO Rhodes
- ATH Athens
- TLR Tubular

** Tactile warning, use prefix 8. Example 8SPA*

7. Finish:
- 626 Satin Chrome (Standard)
- 605 Bright Brass
- 606 Satin Brass
- 612 Satin Bronze
- 619 Satin Nickel
- 625 Bright Chrome
- 643e Aged Bronze
- 626AM Satin Chrome (Antimicrobial Coating)

8. Cylinder Type:
- PD KIL 6-pin Full Cylinder (For options see individual Class/Chassis page)

9. Keyway Type:
- C123 Everest (For options see individual Class/Chassis page)

10. Handing:
- RH Right Handed
- LH Left Handed
- RHR Right Handed Reverse
- LHR Left Handed Reverse

11. Battery Holder:
- 4AA (Standard)
- 4B

12. Backset and Latch or Armor Front:
13-049 2-3/4" Backset, Deadlatch, Square Corner, 1-1/8" x 2-1/4" (Standard)
For options see individual Class/Chassis page

13. Strike:
10-025 1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8" (Standard)
For options see individual Class/Chassis page

14. Door Thickness:
1-3/4" (Standard)
For options see individual Class/Chassis page

15. Options

Pricing/product description subject to change without notice